

Electric Air Conditioner

ClimaX3000

semi truck / tractor / Heavy duty truck -



- All stainless steel hardware
- Powder-coated exterior shroud
- The condenser can be installed vertically or horizontally
- Easy to install and remove

Electric Air Conditioner



Model	ClimaX3000
Voltage	DC12V/24V
Rated Current	DC 12V 50A/ DC 24V 29A
Power	300-850W
Air Volume	600m³/h
Weight(kg)	8.8kgs Interior 19.2kgs Exterior
Time of endurance(Battery over 200Ah)	8 hours (Intelligent frequency control)
Compressor mode	Scroll Compressor
Refrigerant	/ Pressure: R134a @ 600g ±30g
Maximum Compressor Tilt	5°
Dimensions(mm) Exterior unit	640*430*130
Dimensions(mm) Interior unit	640*330*185
Container Loading 20GP/40HQ	135/350 PCS



Features

Four types evaporator for choice

AC01



AC01

-Led light that indicates the temperature

-Built-in timer to record air conditioning usage time
Calculate fuel cost savings

-Dimensions: 640*330*185mm



AC02



-LCD inerior control panel

-Swing" function oscillates the lower louverto
maximize airflow and overall cooling effect

-Dimensions: 528*260*171mm



AC03



-Digital display

- 5 pcs air vent, Max air volume

-Low noise <45db

-Dimensions: 495*355*155mm



AC04



AC04

-Digital display panel that indicates the
temperature

Low noise <45db

-Dimensions: 580*335*188mm

-Built-in timer to record A/C usage time Caculate fuel
cost savings